

Update Notice # 1

July 1989

WPS-PLUS/VMS Editor Functions

AD-W855D-T1

Copyright © 1989 by Digital Equipment Corporation.
All Rights Reserved.

NEW AND CHANGED INFORMATION

This update contains changes and additions made to the *WPS-PLUS/VMS Editor Functions* for Version 3.0.

INSTRUCTIONS

Place the enclosed pages in the *WPS-PLUS/VMS Editor Functions* Version 3.0 as replacements for or additions to current pages.

Old Page

Title Page/Copyright
Contents (iii-xii)
Chapter 19
Index
Reader's Comments/Mailers

New Page

Title Page/Copyright
Contents (iii-xii)
Chapter 19
Index
Reader's Comments/Mailers

WPS-PLUS/VMS Editor Functions

Order Number: AA-W855D-TE
Including AD-W855D-T1

July 1989

Operating System and Version: WPS-PLUS/VMS Version 3.1

Software Version: WPS-PLUS/VMS Version 3.1

**digital equipment corporation
maynard, massachusetts**

July 1989

The information in this document is subject to change without notice and should not be construed as a commitment by Digital Equipment Corporation. Digital Equipment Corporation assumes no responsibility for any errors that may appear in this document.

The software described in this document is furnished under a license and may be used or copied only in accordance with the terms of such license.

No responsibility is assumed for the use or reliability of software on equipment that is not supplied by Digital Equipment Corporation or its affiliated companies.

© Digital Equipment Corporation 1988, 1989.

All Rights Reserved.

The postpaid Reader's Comments forms at the end of this document request your critical evaluation to assist in preparing future documentation.

The following are trademarks of Digital Equipment Corporation:

ALL-IN-1	DIBOL	UNIBUS
DATATRIEVE	Language and	VAX
DEC	Specialized Lexicons	VAXcluster
DECalc	MASSBUS	VAX Grammar Checker
DECgraph	MicroVAX	VMS
DECmate	PDP	VT
DECpage	P/OS	Work Processor
DECspell	Professional	WPS-PLUS
DECsystem-10	Rainbow	
DECsystem-20	RSTS	
DECUS	RSX	
DECwriter	RT	digital ™

CG® is a registered trademark of Compugraphic Corporation.

CG Times™ and CG Triumvirate™ are trademarks of Compugraphic Corporation.

The spelling correction software, Houghton Mifflin Usage Alert software, and Roget's II Electronic Thesaurus software, contain unpublished materials owned and copyrighted by Houghton Mifflin Company, licensed for use solely in Digital Equipment Corporation software. Reproduction or disassembly of embodied programs or algorithms prohibited.

The spelling correction software is based upon *The American Heritage Dictionary*.
Roget's Electronic Thesaurus software is based upon *Roget's II: The New Thesaurus*.

Contents

About This Guide

Purpose of This Guide	xiii
Who Should Use This Guide	xiii
Prerequisites	xiii
For More Information	xiv
Conventions	xiv

Changes Since WPS-PLUS/VMS V2.1

1 Introduction to Editor Functions

Initial Display	1-2
Insert Mode and Overstrike Mode	1-3
Correcting Text	1-4
Wrapping Text	1-5
Entering the Date and Time	1-7
Checking Document Status	1-7
Returning to DCL Level	1-8
Ending a WPS-PLUS Editing Session	1-9
Saving Your Edits	1-9
Deleting Your Edits	1-10
Recovering Corrupted Documents	1-11
Keyboard Diagrams	1-11
WPS-PLUS Functions	1-12
Refreshing the Screen	1-12
Getting Help	1-12

2 Moving the Cursor

Moving Short Distances	2-1
Moving Long Distances	2-2
Distance Keys	2-3
GOLD Key Functions	2-4
Stopping the Cursor	2-5

3 Rulers

What Is a Ruler?	3-2
Displaying a Ruler	3-2
Moving the Cursor in a Ruler	3-3
Changing a Ruler	3-3
Deleting a Ruler	3-5
Left Margin (L, N, D, F)	3-5
Right Margin (R, J)	3-6
Tabs	3-6
TAB and TAB POS Keys	3-7
Tab Settings	3-7
Left-Justified Tab (T)	3-7
Right-Justified Tab (>)	3-8
Decimal-Aligned Tab (.)	3-8
Indents	3-8
Paragraph Indent (P)	3-9
Word-Wrap Indent (W)	3-9
Centering Point (C)	3-10
Hyphenation Zone (H)	3-11
Ruler-Setting Characters	3-11
Wide Rulers	3-13
Creating a Wide Ruler	3-13
Printing a Wide Document	3-14
No-Wrap Rulers	3-15
Stored Rulers	3-15
Using Stored Rulers	3-15
Storing Your Own Default Ruler	3-16
Go-to-Ruler	3-16
Restrictions	3-17

4 Moving Text

Selecting Text	4-1
Cutting Text	4-2
Pasting Text	4-3
Replacing Text	4-4

Column Cut and Paste	4-5
Column Cut	4-5
Column Paste	4-8
Transferring Text Between Documents	4-9
Cutting and Pasting Text Between Documents	4-10
GOLD GET DOCMT	4-10
Copying a File Cabinet Document	4-11
Copying the Scratch Pad (for WPS-PLUS/ALL-IN-1 only)	4-12
Copying a VMS file	4-12
Copying a UDP	4-13
Copying a DEC Workstation Document	4-13
GOLD WRITE DOCMT	4-14
Copying to a New Document	4-14
Copying to the Scratch Pad (for WPS-PLUS/ALL-IN-1 only)	4-14
Copying to a VMS File	4-15
Copying to the UDP Index	4-15
Copying to a DEC Workstation Document	4-16

5 Highlighting Text

Capitalizing Text	5-2
Bolding Text	5-2
Underlining Text	5-3
Centering Text	5-4
Alternative Ways to Capitalize, Bold, or Underline Text	5-5
Redlining Text	5-6
Double Underlining Text	5-8
Inserting Change Bars	5-10
Combining Highlighting Features	5-11
Restrictions	5-12

6 Searching a Document

Search	6-1
The Search Phrase	6-2
Go-to-Page	6-5
Go-to-TDE Diagram	6-6
Go-to-Control Block	6-6
Go-to-Highlight	6-6
Go-to-Ruler	6-8
Continuing a Search	6-8
Stopping a Search	6-8
Search-and-Replace	6-9

Search-and-Delete 6-9
Global Search-and-Replace 6-10

7 Hyphenating Words

Nonbreaking Hyphen 7-1
Breaking Hyphen 7-2
Invisible Hyphen 7-2
Nonbreaking Spaces 7-3
Hyphen Push 7-3
Hyphen Pull 7-4
Hyphenation Zone 7-4

8 Abbreviation Documents and Library Documents

Creating an Abbreviation Document 8-1
Using an Abbreviation Document 8-3
Creating a Library Document 8-4
Using a Library Document 8-5
Restrictions and Additional Information 8-6

9 Multinational and Composite Characters

Hardware Requirements 9-1
Multinational Characters 9-2
Composite Characters 9-2
Separating Combined Characters 9-3

10 Subscripts, Superscripts, and Complex Expressions

Subscripts and Superscripts 10-1
Complex Expressions 10-3

11 View Mode

View Mode 11-1
View Mode Symbols 11-2
Hyphens in View Mode 11-3

12 Control Blocks

Creating Control Blocks	12-1
Control Block Commands	12-2
Restrictions	12-4
Headers and Footers	12-5
Rulers	12-6
Restrictions for Headers and Footers	12-6
Page and Section Numbers	12-7
Printing Chapter and Page Numbers	12-10
Resetting the Page Count	12-10
Resetting the Section Count	12-11
Restrictions on Resetting the Page/Section Count	12-12
Current Date	12-12
Printing Blocks of Text	12-13
Changing Print Settings	12-15
Printer Mode	12-15
Printer Select	12-16
Printer Format	12-17
Printer Table	12-17
Printer Font	12-18
Multicolumn Printing	12-20
Separating Columns	12-21
Separating Columns by Indenting	12-22
Separating Columns by Changing Print Settings	12-22
Separating Columns by Setting Column Widths	12-23
Creating Multicolumn Documents	12-24

13 Editor Math

Editor Math Areas and Editor Math Control Blocks	13-1
BEGIN Control Blocks	13-2
END Control Blocks	13-3
How Editor Math Works	13-4
The FORMULA Command	13-5
Tab Positions and Field Names	13-6
Allowable Characters	13-7
Addition	13-8
Subtraction	13-9
Different Order for Columns	13-10
Negative Numbers	13-10
Constants	13-11
Multiplication and Division	13-11
Totals and Averages	13-11
One-Column Totals	13-12

Multiple Column Totals	13-14
Subtotals and Accumulators	13-15
Column Bars	13-17
Averages	13-18
Parentheses	13-20
Default Format	13-20
Customized Format	13-20
Currency	13-21
Decimal Fractions	13-22
Leading Plus Sign	13-24
Trailing Minus Sign	13-24
Parentheses	13-24
Commas	13-24
Asterisks	13-25
Truncation and Rounding Off	13-26
Suppressing Calculations	13-26
Improving Readability	13-27
FORMULA Command Checklist	13-28
Format Checklist	13-28
Table Checklist	13-29

14 Paginating a Document

Automatic Pagination	14-2
GOLD NEW PAGE	14-2
Automatic GOLD PAGE	14-3
GOLD PAGE	14-5
Summary of Pagination Methods	14-7
Adjusting Page Size	14-8

15 The Two-Dimensional Editor

Entering the TDE	15-2
Exiting the TDE	15-2
Getting Help	15-2
Drawing a Simple Diagram	15-3
Two-Dimensional Editor (TDE) Function Keys	15-5
Moving the Cursor	15-7
Using Rulers	15-8
Using the Pen	15-9
Loading the Pen	15-10
Entering Text	15-12
Overstrike and Insert Modes	15-12
Autodirection	15-12
Inserting a Column or Row	15-14

Deleting Diagrams and Text	15-15
The Undo Command	15-16
Drawing Boxes	15-17
Using Working Regions	15-17
Using Wrapping Regions	15-18
Shading	15-18
Using Selected Areas	15-19
Selecting Areas	15-19
Moving Areas	15-20
Copying Areas Within Diagrams	15-22
Copying Areas into the Text Editor	15-23
Filling in Areas	15-24
Shading Areas	15-24
Joining Lines in Areas	15-26
Repeating Functions or Keystrokes	15-27
Special Characters	15-27
Using Abbreviation and Library Documents	15-29
Extending a TDE Diagram to a Second Screen	15-31
Creating Wide TDE Diagrams	15-31
Printing Diagrams	15-32
Restrictions	15-33

16 Spell Check, Thesaurus, and Usage Alert

Using Spell Check	16-2
Checking an Entire Document (SC)	16-2
Checking a Selected Region	16-4
Checking a Single Word	16-4
Changing Master Dictionaries Within a Document	16-5
Spelling Menu Options	16-6
Replace Option	16-6
Edit Option	16-7
Ignore Option	16-8
Add Option	16-8
Pass Option	16-9
Dictionary Option	16-9
Finish Option	16-10
Maintaining Your Spell Check Dictionaries (DIC)	16-10
Selecting a Dictionary (SEL)	16-12
Creating a Dictionary (C)	16-12
Editing a Dictionary (E)	16-13
Deleting a Dictionary (D)	16-13
Printing a Dictionary (P)	16-13
Reading a Dictionary (R)	16-14
Listing Dictionaries (LD)	16-14

Formatting a Dictionary (F)	16-15
Choosing a Master Dictionary (CMD)	16-15
Listing Open Dictionaries (LO)	16-16
Opening a Dictionary (OP)	16-16
Closing a Dictionary (CL)	16-17
Updating a Language (UL)	16-17
Using the Thesaurus	16-18
Using the Usage Alert	16-19

17 Technical Character Set

Hardware Requirements	17-1
Using the Technical Character Set	17-2
The Technical Character Set Library	17-2
Using the Technical Character Library	17-4
Technical Character Set Description	17-7

18 Footnotes and Endnotes

Typing Footnotes	18-4
Editing Footnotes	18-6
Moving Footnotes	18-7
Deleting Footnotes	18-7
Printing Footnotes	18-8
Footnotes or Endnotes	18-9
Initial Footnote Number	18-10
Numbering Scheme	18-11
Footnote Numbers	18-12
Highlighting of Footnote Number	18-12
Extra Character with Footnote Number	18-13
Highlighting of Extra Character with Footnote Number	18-14
Restart Number on Every Page	18-14
Blank Lines Between Last Text Line and Separator Line	18-15
Separator Character	18-15
Separator Length	18-16
Separator Position	18-16
Blank Lines Between Separator Line and First Footnote	18-16
Blank Lines Between Footnotes	18-17
Continuation messages	18-17
Minimum Lines Per Page	18-18
Vertical Layout Settings	18-18
Footnote Fonts	18-19

Transferring Footnotes 18-20
Restrictions 18-20

19 Paragraph Numbers, Tables of Contents and Authorities, and Indexes

Level Numbers for Headings and Paragraphs 19-2
Changing Style Settings 19-4
 Define Settings for Table Number 19-5
 Starting Paragraph Number 19-5
 Spaces to Allow for Paragraph Number 19-6
 Outline Style 19-7
 Level Style Settings 19-8
Paragraph Numbering Examples 19-9
Running Paragraph Numbering (PN) 19-11
Producing a Table of Contents 19-11
Producing an Index 19-14
Producing a Table of Authorities 19-17
Additional Paragraph Numbering Commands 19-21
 Outline Style 19-22
 Level Style Settings 19-23
 Reset Paragraph Number 19-24
 Spaces to Allow for Paragraph Number 19-25

A Compose Sequences for Multinational Characters

B Summary of WPS-PLUS Editor Functions

C Duplicate Function Keys for VT200-Series Terminals

Index

Figures

- 1-1 WPS-PLUS Editor Functions on the DIGITAL LK201 Keyboard 1-13
- 1-2 WPS-PLUS Editor Functions on the DIGITAL VT100 Keyboard 1-15
- 3-1 Examples of Tabs 3-7
- 15-1 Drawing a Simple Diagram 15-3
- 15-2 The Two-Dimensional Editor (TDE) Keypad Functions 15-6

15-3	Inserting a Row in a Diagram	15-15
15-4	Moving a Selected Area of a Diagram	15-22
15-5	Shading an Area	15-25
15-6	Joining Overlaid Lines	15-26
17-1	Technical Character Set Keys on the LK201 Keyboard	17-8
18-1	Sample Document Containing Footnotes	18-15

Tables

2-1	Distance Keys	2-3
2-2	GOLD Key Functions for Moving the Cursor	2-4
3-1	Ruler-Setting Characters	3-12
9-1	Sample Composite Characters	9-3
11-1	View Mode Symbols	11-2
11-2	Hyphens in View Mode	11-3
12-1	Control Block Commands	12-3
13-1	Editor Math Control Block Commands	13-3
13-2	Allowable Characters in Editor Math Equations	13-7
13-3	Customized Format Characters in Editor Math Equations	13-21
14-1	Methods of Paginating	14-8
15-1	Main Keyboard Functions in the TDE	15-6
15-2	Cursor Keys in the TDE	15-7
15-3	Keys Used in the TDE Ruler	15-9
15-4	Keys Used to Load the TDE Pen	15-10
15-5	TDE Functions Affected by Autodirection	15-13
15-6	Autodirection	15-23
15-7	Special Characters	15-27
17-1	Documents in the TCS Library	17-3
17-2	The Technical Character Set	17-9
18-1	Highlighting Methods for Footnote Numbers and Characters	18-13
18-2	Extra Characters Used with Footnote Numbers and Characters	18-13
A-1	Compose Sequences	A-2
B-1	WPS-PLUS Gold Key Functions	B-2
B-2	WPS-PLUS Single Key Functions	B-7
B-3	WPS-PLUS Control Key Functions	B-10
C-1	Duplicate Function Keys on the LK201 Keyboard	C-2

Paragraph Numbers, Tables of Contents and Authorities, and Indexes

This chapter explains how to:

- **Number paragraphs or section headings in a document**
- **Produce a table of contents**
- **Produce an index**
- **Produce a table of authorities**

Before you run paragraph numbering, you must insert commands in your document telling WPS-PLUS how to number your paragraphs or section headings. When you run paragraph numbering, WPS-PLUS produces a separate output document and numbers the paragraphs or section headings in one of the following styles:

- **Numeric (1, 1.1, 1.2)**
- **Alphabetic (A, B, a, b)**
- **Roman (I, II, i, ii)**

You can also combine these styles within one document.

As WPS-PLUS numbers your paragraphs, it can produce a second output document containing a table of contents, index, and/or table of authorities. WPS-PLUS numbers the table of contents in the same style you select for your headings or paragraphs.

Running paragraph numbering does not change the contents of the original document.

Level Numbers for Headings and Paragraphs

To number a heading or paragraph, you insert one or more commands before that heading or paragraph in your document. After all commands are inserted, you select the Paragraph Numbering (PN) option at the Word and Document Processing menu. WPS-PLUS converts your formatting commands to the numbers and style you have chosen.

The only formatting command you must include before a heading or paragraph is the level number. Level numbers, which you enclose in brackets ([]) or another delimiter that you specify, tell WPS-PLUS the logical arrangement of your document. You can use up to nine levels when numbering headings or paragraphs.

NOTE: *When you use paragraph numbering, do not enclose any text in brackets (or another delimiter that you specify). Use the delimiters only for paragraph numbering commands. If you must enclose text within the delimiters, place this text in a Two-Dimensional Editor diagram.*

NOTE: *If you are using DECpage to print your document, you must use brackets as the delimiter.*

Here is a simple series of numbering commands. Assume that you are using brackets as the delimiter:

```
[1]Strategy
```

```
Our strategy for this product . . .
```

```
[2]Product Requirements
```

The requirements have been supplemented by . . .

[2]Management

Product management believes we should include . . .

If you use the Decimal outline style with Arabic numerals and allow four spaces for the paragraph number, these commands produce the following numbered headings after you run paragraph numbering:

1. Strategy

Our strategy for this product . . .

1.1 Product Requirements

The requirements have been supplemented by . . .

1.2 Management

Product management believes we should include . . .

Before you write each heading or paragraph:

- 1 Decide what level it should occupy in relation to the other headings or paragraphs in the document.

- 2 Type the level number within brackets, or another delimiter that you specify.

You specify the delimiter you want before you run paragraph numbering. See the section in this chapter on Running Paragraph Numbering.

- 3 Leave no spaces between the closing delimiter and the text. You can control the number of Spaces with the Spaces to allow for paragraph numbering setting on the Numbering Style Settings for Table Number form. Any spaces between the closing delimiter and text will appear in the output document and the table of contents, if you produce one.

Set the Spaces to allow for paragraph numbering setting to 0 if you want to insert your own spacing between paragraph numbers and the text that follows. The spaces you insert in your document will appear in the output

document and table of contents. If you want to indent paragraph numbers, insert spaces before each level number.

If you produce a table of contents or table of authorities, each heading or paragraph must have a right margin of at least 79. See the section in this chapter on Producing a Table of Contents.

NOTE: Commands in the Two-Dimensional Editor or control blocks do not affect paragraph numbering.

After you include the level commands, you can process the document. Under special circumstances, you might want to use additional paragraph numbering commands. See the section in this chapter on Additional Paragraph Numbering Commands.

Changing Style Settings

Before you run paragraph numbering, you must include at least the level commands in your document. See the section in this chapter on Level Numbers for Headings and Paragraphs.

Also, you should check the style settings WPS-PLUS uses in numbering your headings or paragraphs. To check these style settings:

- 1 Enter PN at the Word and Document Processing menu.
The Paragraph Numbering, Tables, and Indexing form appears.
- 2 Press NEXT SCREEN.
The Numbering Style Settings for Table Number form appears, with the cursor on the Define Settings for table number field.
This field and other fields on this form are described in the sections which follow.
- 3 Press RETURN to display the current settings for the table number shown.
- 4 Move the cursor to the settings you want to change using TAB and PREV FIELD, or UP ARROW and DOWN ARROW.

5 Change the settings as necessary.

When you have finished changing the settings, press RETURN twice to save the settings

OR

Press EXIT to restore the original settings.

See the following sections for information on changing settings.

6 When you have finished changing all style settings, press EXIT to return to the Paragraph Numbering, Tables, and Indexing form.

The following sections describe the style settings you can change. See the section in this chapter on Paragraph Numbering Examples to see how the style settings change the output document.

If you change any style settings, these settings become your default settings. Each document will be processed according to these settings until you change them again.

Define Settings for Table Number

The Define settings for table number setting lets you specify which table of contents you want to produce with the settings on the form. If you are producing more than one table of contents, you can identify each one with a number, 1 through 9, and specify different style settings for each table. For more information, see the section in this chapter on Producing a Table of Contents.

If you are running paragraph numbering but not producing a table of contents, enter 1 in this field, then press RETURN to display the settings for table 1.

Starting Paragraph Number

By default, WPS-PLUS begins numbering headings and paragraphs with the number 1. In other words, the first time you insert the command [1] in a document, WPS-PLUS numbers this heading or paragraph 1. If you want

(if you are using only one or two levels) or more space between level numbers and the text (if you are using four or more levels).

For example, if your document uses only two level numbers and you use 8 for the spaces to allow for paragraph number setting, a level 2 heading might appear this way in your output document:

```
1.3      Other Findings
```

By changing the Spaces to allow for paragraph number setting to 5, you can change the heading in the output document to:

```
1.3  Other Findings
```

If you add other level numbers later, remember to increase this setting as necessary. If the setting is not high enough for the largest paragraph number in your document, paragraph numbering stops and you receive an error message.

Set the Spaces to allow for paragraph number setting to 0 if you want the text to print immediately after the level number, or if you want to control the spacing yourself by inserting spaces between each level number and the heading or paragraph that follows.

Outline Style

WPS-PLUS gives you a choice of two outline styles:

- Office
- Decimal

When you use Office style, WPS-PLUS numbers a heading or paragraph with one number or letter only – the number or letter you assign to that level. For example, if you include a level 4 command in your document:

```
[4]Miscellaneous
```

you receive this output (assume this is the first level 4 command in your document):

1. Miscellaneous

When you use Decimal style, WPS-PLUS numbers a heading or paragraph with the complete range of level numbers, with levels separated by decimal points. In the previous example, the output document might appear as:

1.3.1.1 Miscellaneous

Level numbers can also be indicated by letters or Roman numerals, either uppercase or lowercase. For more information on level style settings, see the next section in this chapter on Level Style Settings.

Level Style Settings

By default, WPS-PLUS uses numerals (1,2,3,4...) for numbering headings and paragraphs. However, you can assign a different number or character to each heading or paragraph level. The choices for each level are:

- N or n (Numeric — 1,2,3,4...)
- A (Uppercase alphabetic — A,B,C,D...)
- a (Lowercase alphabetic — a,b,c,d...)
- R (Uppercase Roman — I,II,III,IV...)
- r (Lowercase Roman — i,ii,iii,iv...)

Change each level style setting as necessary. You need to change only the settings that correspond to the heading or paragraph levels in your document. You can ignore the other level settings.

Paragraph Numbering Examples

This example shows a document with paragraph numbering commands inserted before headings, with brackets as the delimiter:

```
[1]ENROLLMENT
[2]Fall Semester
[3]Proposed
[3]Actual
[2]Spring Semester
[3]Proposed
[3]Actual
[1]STAFFING
[2]Faculty
[2]Clerical
```

Now set the Numbering Style Settings for Table number form to the following settings:

```
Define settings for table number      : 1
Starting paragraph number              : 1
Spaces to allow for paragraph number  : 8
Outline style                          : DECIMAL
```

```
Level 1: R    Level 4: N    Level 7: N
Level 2: A    Level 5: N    Level 8: N
Level 3: N    Level 6: N    Level 9: N
```

```
N = Arabic numerals (1,2,3..)      n = Arabic numerals (1,2,3..)
A = Uppercase alphabetic (A,B,C..) a = Lowercase alphabetic (a,b,c..)
R = Uppercase Roman (I,II,III..)   r = Lowercase Roman (i,ii,iii..)
```

These settings produce the following output:

```
I.      ENROLLMENT
I.A     Fall Semester
I.A.1   Proposed
I.A.2   Actual
I.B     Spring Semester
I.B.1   Proposed
I.B.2   Actual
II.     STAFFING
II.A    Faculty
II.B    Clerical
```

If you change the outline style to OFFICE, the Spaces to allow for paragraph numbering to 4, and the Level 3 setting to a, you get the following output:

```
I.  ENROLLMENT
A.  Fall Semester
a.  Proposed
b.  Actual
B.  Spring Semester
a.  Proposed
b.  Actual
II. STAFFING
A.  Faculty
B.  Clerical
```

Running Paragraph Numbering (PN)

After you have inserted level commands in your document and changed the style settings as necessary, you can run paragraph numbering. You can also produce a table of contents, index, and/or table of authorities. For more information, see the sections in this chapter on Producing a Table of Contents, Producing an Index, and Producing a Table of Authorities.

To run paragraph numbering without producing a table of contents:

- 1 Enter PN at the Word and Document Processing menu.
The Paragraph Numbering, Tables, and Indexing form appears.
- 2 Enter a title for your output document. You can also change the folder name if you want.
- 3 If you want to change any style settings, press NEXT SCREEN. For more information, see the section in this chapter on Changing Style Settings.
- 4 Enter N where you are asked if you want to produce a table of contents, index, and/or table of authorities.
- 5 Enter the delimiters you used to enclose your paragraph numbering commands. The left and right brackets are the default delimiters, but you can use any single characters on your keyboard.
- 6 Press RETURN.

WPS-PLUS creates a new output document and runs paragraph numbering.

You can now read, edit, or print the output document to see the paragraph numbers.

Producing a Table of Contents

WPS-PLUS uses the paragraph numbering commands you insert in your document to produce a table of contents. You can also include index commands or table of authorities commands in the same document. You then run paragraph numbering to produce both an output document and a

separate document containing a table of contents, index, and/or table of authorities.

You can produce up to nine separate tables of contents and identify them by number, 1 through 9. If you are producing *more than one* table of contents, you should add two commands to the paragraph numbering commands in your document:

- **Table identifier.** The identifier for a table of contents is either T (which prints the level number in the table of contents) or t (which omits the level number in the table of contents). This identifier is required for each table of contents entry.
- **Table number.** A number 1 through 9, to specify which table of contents should contain the entry. This number is optional and is used only if you are producing more than one table of contents.

These commands should appear *before* any paragraph numbering commands in the same string. (For more information on other paragraph numbering commands, see the section in this chapter on Additional Paragraph Numbering Commands.) The commands should appear in the following format, assuming that you are using the left and right brackets as your delimiters:

```
[Table identifierTable number.Level number]
```

Example:

```
[T2.1]Marketing Prospects in European Countries
```

When you run paragraph numbering and produce a table of contents, this entry will appear in your second table of contents as a level-one heading. For example:

```
Tables of Contents
```

```
Table of Contents Number 2
```

```
1. Marketing Prospects in European Countries . . . . . 7
```

If you do not want the level number (in this example, 1.) to appear in the table of contents, use t instead of T as the table identifier in the document.

NOTE: *For the table of contents to print correctly, each numbered heading in the document must have a right margin of at least 79. If you are using rulers in your document with right margins of less than 79, check that the ruler preceding each numbered heading has a right margin of 79 or more.*

NOTE: *If you are using DECpage to print your document, a heading preceded by a lowercase t will not appear in the table of contents.*

Before you can run paragraph numbering and produce a table of contents, you must first paginate your document by using Automatic GOLD PAGE, GOLD NEW PAGE, or GOLD PAGE. WPS-PLUS uses the NEW PAGE marks or PAGE MARKERS to number the pages correctly in the table of contents. For information on these functions, see the chapter in this guide on paginating a document.

NOTE: *If you edit the document so that the page breaks change, you must repaginate so the table of contents will be accurate.*

In the output document for your table of contents, successive levels of headers are each indented by one space. For example, a header level 1 is indented by one space, a header level 2, two spaces, and so on. If you want to change the amount of indentation, you must indent your numbered headings within the document containing the heading commands.

To run paragraph numbering and produce a table of contents:

- 1 Enter PN at the Word and Document Processing menu.
The Paragraph Numbering, Tables, and Indexing form appears.
- 2 Enter a title for your output document. You can also change the folder name if you want.
- 3 If you want to change the setting for one or more tables of contents, press NEXT SCREEN.

At the Define settings for table number field, enter a number 1 through 9 to identify one of the tables of contents you are producing. You can then specify the format of that table of contents by changing the style settings on the form, then pressing RETURN twice. Repeat this procedure for each table of contents you are producing. When you have finished changing all style settings,

press **EXIT** to return to the Paragraph Numbering, Tables, and Indexing form.

- 4 Enter **Y** where you are asked if you want to produce a table of contents.
- 5 Enter the delimiters you used to enclose your paragraph numbering commands (for example, [and]).
- 6 Press **RETURN**.

The Creating Tables and/or Index form appears.

- 7 Enter document information to identify the table of contents document.
- 8 Press **RETURN**.

WPS-PLUS runs paragraph numbering and produces two new documents – an output document with numbered paragraphs, and a table of contents document.

***NOTE:** If you include commands for more than one table of contents, your table of contents document will contain all the tables of contents you have specified, and your numbered document will contain duplicate headings. Edit these documents to produce the results you want.*

Producing an Index

You produce an index by first inserting index commands in your document. You can also include commands for paragraph numbers, tables of contents, and tables of authorities in the same document. You then run paragraph numbering to produce both an output document and a separate document containing an index, table of contents, and/or table of authorities.

You can produce up to nine separate indexes and identify them by number, 1 through 9.

To insert an index command in your document, you use these commands:

- **Index identifier.** The identifier for an index is either **I** (for entries you want printed in both the index and the output document) or **i** (for entries you want printed in the index but not in the output document). This identifier is required for each index entry.
- **Index number.** A number 1 through 9, to specify which index should contain the entry. This number is optional and is used only if you are producing more than one index.
- **Text.** The primary text string that should appear in the index.
- **Secondary text.** The secondary text string that should appear in the index (optional).

NOTE: *After you run paragraph numbering, secondary index entries appear only in the index, not in the output document, whether you mark them with **I** or **i**.*

The commands should appear in the following format, assuming that you are using the left and right brackets as your delimiters:

```
[Index identifierIndex number.Text[secondary text]]
```

For example, you can mark index entries within the document text:

```
[I.Marketing] Prospects in [I.European countries] look  
especially good. With our new automatic [I.translation]  
Program, we have cut down on the time needed to deliver  
our Products to our European customers.
```

When you run paragraph numbering and produce an index, the index entries you marked remain in the output document, without the index commands. The entries (which are on page 34) appear this way in the index:

Indices

Index Number 1

European countries

34

Marketing

34

translation

34

If you do not want certain index entries to appear in the output document, indicate them with an *i* instead of an *I*. For example, you might add the following index entries after the paragraph above:

```
[i.Foreign countries[time to market]][i.Future Prospects]
```

When you add index entries that will not appear in the output document, be sure that you put them immediately after the paragraph, without inserting any extra carriage returns, lines, or spaces.

When you run paragraph numbering and produce an index, these entries will appear in the index, but not in the output document.

NOTE: *If you use an i to mark index entries within paragraphs or footnotes, you must rewrap those paragraphs or footnotes in the output document before you print it.*

Before you can run paragraph numbering and produce an index, you must first paginate your document by using Automatic GOLD PAGE, GOLD NEW PAGE, or GOLD PAGE. WPS-PLUS uses the NEW PAGE marks or PAGE MARKERS to number the pages correctly in the index. For information on these functions, see the chapter in this guide on paginating a document.

NOTE: *If you edit the document so that the page breaks change, you must repaginate so the index will be accurate.*

To run paragraph numbering and produce an index:

- 1 Enter PN at the Word and Document Processing menu.
The Paragraph Numbering, Tables, and Indexing form appears.
- 2 Enter a title for your output document. You can also change the folder name if you want.
- 3 If you want to change style settings for paragraph numbers in your output document or table(s) of contents, press NEXT SCREEN.
Make the necessary changes. When you have finished changing all style settings, press EXIT to return to the Paragraph Numbering, Tables, and Indexing form.
Changes you make to style settings will not affect the format of your index.
- 4 Enter Y where you are asked if you want to produce an index.
- 5 Enter the delimiters you used to enclose your index commands (for example, [and]).
- 6 Press RETURN.
The Creating Tables and/or Index form appears.
- 7 Enter document information to identify the index document.
- 8 Press RETURN.
WPS-PLUS runs paragraph numbering and produces two new documents – a document with numbered paragraphs (if you have included paragraph numbering commands) and an index.

Producing a Table of Authorities

A table of authorities is an alphabetical index of citations, sources, or other references in your document. For example, a table of authorities might list court cases that are cited in a legal document.

You produce a table of authorities by first inserting commands in your document. You can also include commands for paragraph numbers, tables of contents, and indexes in the same document. You then run paragraph

numbering to produce both an output document and a separate document containing a table of authorities, table of contents, and/or an index.

You can produce up to nine separate tables of authorities and identify them by number, 1 through 9.

To insert a table of authorities command in your document, you use these commands:

- **Table of authorities identifier.** The identifier for a table of authorities is either L (for entries you want printed in both the table of authorities and the output document) or l (for entries you want printed in the table of authorities but not in the output document). This identifier is required for each table of authorities entry.
- **Table of authorities number.** A number 1 through 9, to specify which table of authorities should contain the entry. This number is optional and is used only if you are producing more than one table of authorities.
- **Text.** The primary text string that should appear in the table of authorities.
- **Secondary text.** The secondary text string that should appear in the table of authorities (optional).

***NOTE:** After you run paragraph numbering, secondary entries appear only in the table of authorities, not in the output document, whether you mark them with L or l.*

The commands should appear in the following format, assuming that you are using the left and right brackets as your delimiters:

```
[Table of authorities identifierTable of authorities number.Text  
[secondary text]]
```

For example, you can mark table of authorities entries within the document text:

```
[L2.Markey v. Ross] and [L2.Noel v. Roxanne] correctly state the  
theory of "reasonably Probable" causes. The more recent decision of  
[L2.Johnston v. Harris] has reaffirmed this rule.
```

When you run paragraph numbering and produce a table of authorities, the entries you marked remain in the output document, without the table of authorities commands. The entries (which are on page 56) appear this way in the table of authorities:

Tables of Authorities

Table of Authority Number 2

Johnston v. Harris	56
Markey v. Ross	56
Noel v. Roxanne	56

If you do not want certain table of authorities entries to appear in the output document, indicate them with an l instead of an L. For example, you might add the following entries after the paragraph above:

```
[l2.Probable causes[recent decisions]][l2.Reasonably probable causes]
```

When you add index entries that will not appear in the output document, be sure that you put them immediately after the paragraph, without inserting any extra carriage returns, lines, or spaces.

When you run paragraph numbering and produce a table of authorities, these entries will appear in the table of authorities, but not in the output document.

NOTE: *If you use an l to mark table of authorities entries within paragraphs or footnotes, you must rewrap those paragraphs or footnotes in the output document before you print it.*

Before you can run paragraph numbering and produce a table of authorities, you must first paginate your document by using Automatic GOLD PAGE, GOLD NEW PAGE, or GOLD PAGE. WPS-PLUS uses the NEW PAGE marks or PAGE MARKERS to number the pages correctly in the table of authorities. For information on these functions, see the chapter in this guide on paginating a document.

NOTE: *If you edit the document so that the page breaks change, you must repaginate so the table of authorities will be accurate.*

To run paragraph numbering and produce a table of authorities:

- 1 Enter PN at the Word and Document Processing menu.
The Paragraph Numbering, Tables, and Indexing form appears.
- 2 Enter a title for your output document. You can also change the folder name if you want.
- 3 If you want to change style settings for paragraph numbers in your output document or table(s) of contents, press NEXT SCREEN.
Make the necessary changes. When you have finished changing all style settings, press EXIT to return to the Paragraph Numbering, Tables, and Indexing form.
Changes you make to style settings will not affect the format of your table of authorities.
When you have finished changing all style settings, press EXIT to return to the Paragraph Numbering, Tables, and Indexing form.
- 4 Enter Y where you are asked if you want to produce a table of authorities.
- 5 Enter the delimiters you used to enclose your table of authorities commands (for example, [and]).
- 6 Press RETURN.
The Creating Tables and/or Index form appears.
- 7 Enter document information to identify the table of authorities document.
- 8 Press RETURN.
WPS-PLUS runs paragraph numbering and produces two new documents – a document with numbered paragraphs (if you have included paragraph numbering commands) and a table of authorities.

Additional Paragraph Numbering Commands

In addition to the level commands, you can include the following paragraph numbering commands in your document:

- Outline style
- Level style setting
- Reset paragraph number
- Spaces to allow for paragraph number

Generally you should control these settings at the Numbering Style Settings for Table Number form. (See the section in this chapter on Changing Style Settings.) However, if you must make style changes within a document, you can change the settings within the document. The changes you make stay in effect until you change them again in the document. All changes you make in the document override the settings on the Numbering Style Settings form *for that document only*.

Here is a sample format string using all the optional commands:

```
[O1.A.3.4]text
```

where

O = Office style

1 = Level number

A = Uppercase alphabetic style

3 = Reset paragraph number to 3

4 = Spaces to allow for paragraph number

text = heading or paragraph

You need to include only the level command in any string; all other commands are optional. The commands you do include must appear in the following order (optional commands appear in angle brackets):

```
[<Outline style>Level number.<Level style setting>.<Reset paragraph number>.<Spaces to allow for paragraph number>]
```

Note the decimal points in the example. If you omit any optional commands in a command string, you must insert the required number of decimal points that come between two commands. You do not need to insert decimal points between the last optional command and the closing delimiter. For example, the command [5...10] changes the spaces to allow for a level-five heading or paragraph number to 10 spaces.

If you have commands for more than one table of contents, you can change the setting for one table without affecting the others. In that case, the table identifier goes to the left of the other paragraph numbering commands, separated from them by a period (.).

For example:

```
[T2.O1.A.3.4]text
```

Outline Style

To change the outline style for a heading or paragraph:

- 1 Place the cursor before the heading or paragraph you want to number.
- 2 Type a left bracket ([) or other delimiter.
- 3 Type O (Office style) or D (Decimal style).
- 4 Type the level command.
- 5 Type a decimal point, followed by other optional commands.

OR

Type a right bracket (]) or other delimiter if this is the only command you want to change.

- 6 Type the heading or paragraph.

Example:

```
[D2]Classified Information
```

This changes the level-two heading to Decimal style, so it might print as:

3.2 Classified Information

For more information on Office and Decimal styles, see the section earlier in this chapter on Outline Style.

Level Style Settings

To change the level style setting for a heading or paragraph:

- 1 Place the cursor before the heading or paragraph you want to number.
- 2 Type a left bracket ([) or other delimiter.
- 3 Type the outline style command (optional).
- 4 Type the level command.
- 5 Type a decimal point.
- 6 Type one of the following letters:
 - N (Numeric — default)
 - A (Uppercase alphabetic — A,B,C,D...)
 - a (Lowercase alphabetic — a,b,c,d...)
 - R (Uppercase Roman — I,II,III,IV...)
 - r (Lowercase Roman — i,ii,iii,iv...)
- 7 Type a decimal point, followed by other optional commands.

OR

Type a right bracket (]) or other delimiter if this is the last command you want to change.

- 8 Type the heading or paragraph.

Example:

[1.R]CONCLUSIONS

This changes the level-one heading to Uppercase Roman style, so it might print as:

III. CONCLUSIONS

For more information on level style settings, see the section earlier in this chapter on Level Style Settings.

Reset Paragraph Number

By default, WPS-PLUS numbers headings or paragraphs consecutively. For example, the fifth time a [1] command appears in a document, WPS-PLUS numbers it 5. However, you can reset this number for a particular heading or paragraph.

To reset the paragraph number for a heading or paragraph:

- 1 Place the cursor before the heading or paragraph you want to number.
- 2 Type a left bracket ([) or other delimiter.
- 3 Type the outline style command (optional).
- 4 Type the level command.
- 5 Type a decimal point.
- 6 Type the level style setting you want (optional).
- 7 Type a decimal point.
- 8 Type the paragraph number you want to reset to.
- 9 Type a decimal point, followed by another optional command.

OR

Type a right bracket (]) or other delimiter if this is the last command you want to change.

- 10 Type the heading or paragraph.

Example:

[2..6]Secondary Requirements

This means that the second number of this level-two heading will print as the number 6. For example:

1.6 Secondary Requirements

Spaces to Allow for Paragraph Number

To reset the spaces to allow for paragraph number for a heading or paragraph:

- 1 Place the cursor before the heading or paragraph you want to number.
- 2 Type a left bracket ([) or other delimiter.
- 3 Type the outline style command (optional).
- 4 Type the level command.
- 5 Type a decimal point.
- 6 Type the level style setting you want (optional).
- 7 Type a decimal point.
- 8 Type the level number you want to reset to (optional).
- 9 Type a decimal point.
- 10 Type the number of spaces to allow for paragraph number.
- 11 Type a right bracket (]) or other delimiter.
- 12 Type the heading or paragraph.

Example:

[4...8]Car Manufacturers

This means that you are allowing 8 spaces for this level-four heading to print before the text of the header or paragraph.

6.12.1.2 Car Manufacturers

For more information on the Spaces to allow for paragraph number setting, see the section earlier in this chapter on Spaces to Allow for Paragraph Number.

Index

A

\a 12-8

Abbreviation documents

creating 8-1

definition 8-1

diagrams in 8-6

in the TDE 15-29

inserting 8-3

restrictions 8-6

specifying 8-3

using 8-3

Additional dictionaries 16-2,

16-10

closing 16-17

opening 16-16

ADVANCE 1-6, 2-1, B-7, B-8, B-9

in a ruler 3-3

in the TDE 15-7

ALT CHAR 17-2, B-7

Arrow keys 2-1

in the TDE 15-7, 15-8

Associated documents xiv

Audience xiii

Automatic GOLD PAGE 14-3

option 14-3

stopping 14-4

Automatic pagination 14-2

B

BACK UP 2-1, B-7

in a ruler 3-3

in the TDE 15-7

BOLD 5-2, B-7

in the TDE 15-19

Bolding text 5-2

alternative methods 5-5

as you type 5-2, 5-7

existing text 5-2

removing bolding 5-3

BOTTOM 12-6

Breaking hyphen 7-2

in view mode 11-3

C

CANCEL 1-10, B-7

Capitalizing text 5-2

alternative methods 5-5

as you type 5-2, 5-7

existing text 5-2

removing capitalization 5-2

with CAPS LOCK 5-2

with LOCK 5-2

with UPPER CASE 5-2

CAPS LOCK 5-2

- Carriage returns
 - removing from document 1-6
- Centering mark
 - in view mode 11-2
- Centering text 5-4
 - centering mark 5-4
 - in view mode 11-2
 - removing 5-5
 - centering point (C)
 - in a ruler 3-10
- Change bars 5-10
 - DECpage 5-11
 - inserting into existing text 5-10
 - removing 5-11
 - with multicolumn text 5-11
- Changes to documentation since WPS-PLUS/VMS V2.1
 - xvii
- Changing
 - master dictionaries 16-15
 - within a document 16-5
- Chapter numbers
 - printing in a document 12-10
- Clearing screen 1-12
- Closing
 - dictionary 16-17
- Column cut and paste 4-5
- Columns
 - multiple 12-20
- Combining highlighting features 5-11
- COMMENT 12-3
- Complex expressions 10-3
- COMPOSE 9-2, B-7
- Compose sequences
 - for multinational characters A-1
- Composite characters 9-2
 - definition 9-1
 - examples 9-3
 - fallback characters 9-2
 - hardware restrictions 9-1
 - restrictions 9-3
 - separating 9-3

- Continuation messages
 - in footnotes 18-17
- Control block commands
 - \a 12-8
 - BOTTOM 12-6
 - COMMENT 12-3
 - \d 12-12
 - FOOTNOTE 18-10
 - MULTI 12-20
 - to set column widths 12-23
 - \n 12-8
 - NOBREAK 12-13
 - \p 12-7
 - PRINTER FONT 12-18
 - PRINTER FOOTNOTE_FONT 18-19
 - PRINTER FORMAT 12-17
 - PRINTER MODE 12-15
 - PRINTER SELECT 12-16
 - PRINTER TABLE 12-17
 - RESET 12-10
 - how it affects searches 6-6
 - restrictions 12-12
 - \s 12-9
 - SECTION 12-11
 - summary of 12-2
 - TOP 12-6
 - using DECpage 12-10
 - WPSMATH 13-2, 13-12
- Control blocks 12-1
 - creating 12-1
 - definition 12-1
 - example 12-2
 - paragraph numbering
 - commands in 19-4
 - removing 12-2
 - restrictions 12-4, 12-10
- Conventions xiv
- Conversion
 - footnotes
 - to another WPS-PLUS version 18-20
- Copying text 4-1
 - copying an entire document 4-10

- from one document to another
 - 4-9, 4-11, 4-14
 - with CUT and PASTE 4-10
 - with GOLD GET DOCMT 4-10
 - with GOLD WRITE DOCMT 4-14
- including ruler settings 4-4
- Scratch Pad
 - to a document 4-12
 - to a DECmate document 4-16
 - to a VMS file 4-15
 - to a Workstation document 4-16
- to the Scratch Pad 4-14
- to the UDP index 4-15
- UDP
 - to a document 4-13
- VMS file
 - to a document 4-12
 - within a document 4-3
- Correcting errors
 - text 1-4
- Corrupt document
 - recovering 1-11
- Creating
 - dictionary 16-12
- CTRL/D B-10
- CTRL/N 5-8, B-10
- CTRL/U
 - in the TDE 15-7, 15-15
- CTRL/W 1-12, B-10
 - in the TDE 15-7
- Current text size setting 14-8
- Cursor
 - insert mode 1-3
 - moving long distances 2-2
 - moving short distances 2-1
 - moving with GOLD key functions 2-4
 - overstrike mode 1-3
 - stopping 2-5
 - switching to advance 2-2
- CUT 4-2, B-7, C-2
 - in the TDE 15-20
- Cutting text 4-2
 - columns 4-5
- D**
 - \d 12-12
 - Date
 - including in a document 1-7
 - printing in a document 12-12
 - DATE & TIME stamp 1-7
 - DCL commands
 - access to 1-8
 - Decimal points
 - in Editor Math 13-22
 - DECmate
 - copying document to 4-16
 - copying document to WPS-PLUS 4-13
 - highlighted text 5-13
 - TDE diagrams 15-33
 - wide documents 3-17
 - DECpage
 - change bars 5-11
 - double underlines 5-10
 - footnotes 18-20
 - forcing page breaks 14-3
 - headers and footers 12-7
 - paragraph numbering
 - delimiters 19-2
 - section and page numbers 12-10
 - tab settings 3-10
 - table of contents 19-13
 - Define settings for table number 19-5
 - DEL CHAR 1-4, B-7, C-2
 - in the TDE 15-15, 15-21
 - DEL WORD 1-4, 15-16, B-7
 - in the TDE 15-9
 - Deleting
 - dictionary 16-13
 - edits 1-10
 - Delimiters
 - with paragraph numbering 19-2

Diction

thesaurus 16-18
usage alert 16-19

Dictionaries 16-2, 16-10

adding 16-17
additional 16-10
changing master dictionaries
16-15
 within a document 16-5
closing 16-17
creating 16-12
deleting 16-13
editing 16-13
formatting 16-15
indexing 16-14
international
 adding to 16-8
listing 16-14
 open 16-16
maintenance 16-10
master 16-10
 changing within a document
 16-5
menu 16-12
open
 listing 16-16
opening 16-16
personal 16-10
 adding to 16-8
printing 16-13
reading 16-14
selecting 16-12
updating 16-17

Dictionary Maintenance menu 16-12

Choose master dictionary
(CMD) option 16-15
Close dictionary (CL) option
16-17
Create (C) option 16-12
Delete (D) option 16-13
Edit (E) option 16-13
Format (F) option 16-15
List dictionaries (LD) option
16-14

List of open dictionaries (LO)
option 16-16

Open dictionary (OP) option
16-16

Print (P) option 16-13

Read (R) option 16-14

Select (SEL) option 16-12

Update language (UL) option
16-17

Distance keys 2-3

 when highlighting text 5-5

 when selecting text 4-2

DO B-7

Double underlining text 5-8

 as you type 5-7

 DECpage 5-10

 existing text 5-9

 in view mode 11-2

 removing 5-9

DOWN ARROW 2-2, B-7

 in the TDE 15-9

Duplicate editor function keys on
the LK201 keyboard C-1

E

Editing

 dictionary 16-13

Editor

 accessing 1-1

 introduction to functions 1-1

 summary of functions B-1

Editor Attributes form

 GET DOCMT screen on setting
 4-11

 Hyphenation checking 14-4

 Redline characteristic setting
 5-6

 Redline enabled setting 5-6

 Set current text lines/page
 14-8

 Set math option setting 13-4

 Set standard text lines/page
 14-8

 Set wide screen setting 3-14

 Status line enabled 1-7

- Widow/orphan control lines 14-4
- Word choice – with trailing symbols 1-5
- Editor functions
 - duplicate
 - on LK201 keyboard C-1
 - on LK201 keyboard 1-13
 - on VT100 keyboard 1-15
 - summary B-1
- Editor Math 13-1
 - accumulators 13-15
 - <:lines> accumulator 13-18
 - addition 13-8
 - allowable characters 13-7
 - alternative decimal point 13-22
 - areas 13-1
 - example 13-2
 - asterisks 13-25
 - averages 13-11, 13-18
 - checklists 13-28
 - column bars 13-17
 - commands
 - BEGIN 13-2
 - END 13-3
 - FORMULA 13-5
 - ROUND 13-26
 - SET 13-15, 13-17
 - summary of 13-3
 - TOTAL 13-11
 - TRUNCATE 13-26
 - WPSMATH 13-2
 - commas 13-24
 - constants 13-11
 - control blocks 13-1
 - currency 13-21
 - customized format 13-20
 - decimal fractions 13-22
 - alternative decimal point 13-22
 - decimal places 13-22
 - default format 13-20
 - division 13-11
 - field names 13-6

- formulas 13-5
 - allowable characters in 13-7
 - how it works 13-4
 - improving readability 13-27
 - leading plus sign 13-24
 - multiple column totals 13-14
 - multiplication 13-11
 - negative numbers 13-10
 - one-column totals 13-12
 - parentheses 13-20, 13-24
 - resetting total fields 13-15
 - rounding 13-26
 - scrolling through an area 13-4
 - subtraction 13-9
 - summing subtotals 13-15
 - suppressing calculations 13-26
 - tab positions 13-6
 - TOTAL line 13-12
 - totals 13-11
 - trailing minus sign 13-24
 - transferring numbers 13-15
 - truncation 13-26
- Editor Math format characters 13-25
 - ! 13-22
 - \$ 13-21
 - () 13-24
 - * 13-25
 - + 13-24
 - , 13-24
 - . 13-22
 - _ 13-22
 - 9 13-22
 - # 13-22
 - 13-24
- Editor menu
 - Automatic GOLD PAGE (PG) option 14-3
 - Global search and replace (GS) option 6-10
 - Specify abbreviation (AD) option 8-3

Specify library (LD) option
8-5

Endnotes 18-1, 18-9

ENTER 2-3, B-7

in documentation xiv

in the TDE 15-21

Entering text

insert mode 1-3

overstrike mode 1-3

Error message

information B-4

EXIT B-7

to file your document 1-9

External Application Block B-10

External Application Link B-10

Extra characters in footnotes
18-13

F

File

copying from VMS to a
document 4-12

File Cabinet document

copying to another document
4-11

Filing a document 1-9

FIND 6-1, B-7

Fonts

changing for laser printer
12-18

for footnotes 18-19

Footers

creating with control blocks
12-5

FOOTNOTE 18-10

Footnote settings

See WPS-PLUS Footnote
Settings form

Footnotes 18-1, 18-9

continuation messages 18-17

conversion

to another WPS-PLUS
version 18-20

creating 18-1

deleting 18-7

editing 18-6

fonts 18-19

hairline rule

character used 18-15

length 18-16

lines following 18-16

lines preceding 18-15

initial number 18-10

lines between 18-17

lines in the bottom margin
18-18

lines in the top margin 18-18

minimum lines per page 18-18

moving 18-7

number

extra character with 18-12

highlighting 18-12

numbering scheme 18-11

printing 18-8

choosing fonts 18-19

restart number on every page
18-14

restrictions 18-20

ruler setting 3-15

sample document 18-15

searching for 6-5

separator character 18-15

separator length 18-16

separator line

lines following 18-16

lines preceding 18-15

separator position 18-16

total lines per page 18-18

transferring

to another WPS-PLUS

version 18-20

to/from DECmate 18-20

to/from Rainbow 18-20

typing 18-4

using DECpage 18-20

Format

dictionary 16-15

G

GET DOCMT screen on 4-11

Global search-and-replace 6-10
 option 6-10
 Go-to-control block 6-6
 Go-to-highlight 6-6
 Go-to-page 6-5
 Go-to-ruler 3-16
 Go-to-TDE diagram 6-6
 GOLD
 ABBRV 8-3, B-2, B-3, B-4, B-5,
 B-6
 in the TDE 8-6, 15-29
 ADVANCE 1-6, 2-4, B-2
 ALT CHAR 17-2, B-2
 BACK UP 2-4, B-2
 BOLD 5-3, B-2
 BOT DOCMT 2-4, B-2
 CENTER 3-11, 5-4, B-2
 in view mode 11-2
 searching for 6-3
 CHANGE EDITOR 15-2, 15-4,
 15-6, 15-7, B-2
 CMND 12-1, B-2
 when creating multicolumn
 text 12-24
 CONT SRCH 6-8, B-2
 CONT SRCH & SEL 6-9, B-2
 CUT 4-3, B-2
 DATE & TIME 1-7, B-2
 DCL 1-8, B-2
 DEAD KEY 9-3, B-2
 DEL CHAR 1-4, B-3
 DEL WORD 1-4, B-3
 DOWN ARROW 2-4, B-3
 EMBEDDED SEARCH B-3
 FILE B-3
 FOOTNOTE 18-1, B-3
 GET DOCMT 4-10, B-3
 canceling 4-11
 copying a DECmate document
 to WPS-PLUS 4-13
 copying a UDP to a document
 4-13
 copying a VMS file to a
 document 4-12
 copying a Workstation
 document to WPS-PLUS
 4-13
 copying one document to
 another 4-11
 copying the Scratch Pad to a
 document 4-12
 GLOBAL REPLC 6-10, B-3
 HYPH PULL 7-4, B-3
 INDENT TAB 3-9, B-3
 LANGUAGE AIDS 16-18,
 16-19, B-3
 LEFT ARROW B-3
 LIBRY 8-5, B-3
 in the TDE 8-6, 15-29
 LINE 5-6, 5-11, B-3
 MENU B-4
 MESSAGE B-4
 NEW PAGE 14-2, B-4
 with multicolumn printing
 12-24
 NONBREAKING SPACE 7-3,
 B-4
 in view mode 11-2
 searching for 6-3
 PAGE 14-5, B-4
 PAGE MARKER 14-7, B-4
 PARA 1-6, B-4
 PARA MARKER 3-9, B-4
 in view mode 11-2
 searching for 6-3
 PASTE 4-4, B-4
 PRINT HYPH 7-2, B-4
 in view mode 11-3
 searching for 6-3
 REPLC 4-5, 6-9, B-4
 RIGHT ARROW B-4
 RUB LINE 1-4, B-4
 RUB SENT 1-4, B-4
 RULER 3-2, B-5
 SCROLL B-5
 SPELL CHECK 16-4, B-5
 STATUS 1-7, B-5
 SUB SCRIPT 10-2, B-5
 in view mode 11-2
 searching for 6-3

SUPER SCRIPT 10-2, B-5
in view mode 11-2
searching for 6-3

SWAP 1-5, B-5

TAB POS B-5

TOP DOCMT 2-4, B-5

UNDER LINE 5-4, B-5

UP ARROW 2-4, B-5

UPPER CASE 5-2, B-5

VIEW 6-3, 11-1, B-5

WIDE SCREEN B-5

WRITE DOCMT 4-14, B-5

copying document to the
Scratch Pad 4-14

copying one document to
another 4-14

copying to a VMS file 4-15

copying to the UDP index
4-15

copying WPS-PLUS document
to a DECmate document
4-16

copying WPS-PLUS document
to a Workstation document
4-16

recovering original version of
document 1-9

GOLD keys 1-12

Grammar checker 16-1

H

Hairline rule

See Separator line

Hard returns

removing from document 1-6

Hardware requirements

composite characters 9-1

multinational characters 9-1

Technical Character Set 17-1

Headers

creating with control blocks
12-5

Headers and footers

changing print settings 12-15

printing

chapter and page numbers
12-10

current date (\d) 12-12

page letters (\a) 12-8

page numbers 12-8

page numbers (\p) 12-7

section numbers (\s) 12-9

resetting page numbers 12-10

restrictions 12-12

resetting section numbers
12-11

restrictions 12-12

restrictions 12-6

rulers in 12-6

with DECpage 12-7

Help 1-12, B-7

in the TDE 15-2

Highlighted text

searching for 6-4

transferring to DECmate 5-13

transferring to Rainbow 5-13

Highlighting text 5-1

alternative methods 5-5

bolding 5-2

capitalizing 5-2

centering 5-4

change bars 5-10

combining features 5-11

double underlining 5-8

extra footnote characters
18-12, 18-14

footnote numbers 18-12

redlining 5-6

restrictions 5-12

shadow printing 5-3

underlining 5-3

HYPH PUSH 7-3, B-7

Hyphen

breaking 7-2

in view mode 11-3

invisible 7-2

nonbreaking 7-1

pull 7-4

push 7-3

Hyphenating words 7-1

Hyphenation checking 14-4
Hyphenation zone 3-11, 7-4

refreshing screen 1-12
WPS-PLUS keys 1-12

I

Indentation
 creating lists with 3-9
 headings 19-4
 paragraph indent (P) 3-9
 in view mode 11-2
 paragraph numbers 19-4
 word-wrap indent (W) 3-9
Index 19-1, 19-14
 dictionaries 16-14
 open 16-16
 multiple 19-5
 number assigned to 19-5
 producing 19-17
Initial display 1-2
Initial footnote number 18-10
INSERT HERE C-2
Insert mode 1-3
 in TDE 15-12
INSERT/OVERSTRIKE B-8
International dictionary 16-10
 adding to 16-8
INTERRUPT B-8
 to cancel GOLD GET DOCMT
 4-11
 to stop a search 6-8
 to stop automatic GOLD PAGE
 14-4
 to stop GOLD PAGE 14-6
 to stop the cursor 2-5
Invisible hyphen 7-2
 in view mode 11-3

K

Keyboard
 duplicate function keys C-1
Keyboard diagrams 1-11
Keyboards
 diagrams 1-11
 GOLD keys 1-12
 help 1-12

L

Landscape format
 in the TDE 15-32
Language
 updating for Spell Check 16-17
Language aids 16-1
 Spell Check 16-2
 Thesaurus 16-18
 Usage Alert 16-19
Laser printer
 changing fonts 12-18
 footnote fonts 18-19
LEFT ARROW 2-1, B-8
 in a ruler 3-3
Left margin settings 3-5
Level style settings 19-8
Library documents
 creating 8-4
 definition 8-1
 diagrams in 8-6
 in the TDE 15-29
 inserting 8-5
 restrictions 8-6
 short name 8-4
 specifying 8-5
 using 8-5
LINE 2-3, B-8
 in a ruler 3-3
Line spacing
 double spacing (D ruler setting)
 3-5
 half-line spacing (F ruler
 setting) 3-5
 line-and-a-half spacing (N ruler
 setting) 3-5
 single spacing (L ruler setting)
 3-5
 using left margin ruler settings
 3-5
Lines in the bottom margin 18-18
Lines in the top margin 18-18

Linguistic aids 16-1
 Spell Check 16-2
 Thesaurus 16-18
 Usage Alert 16-19

Listing
 dictionaries 16-14
 open dictionaries 16-16

Lists
 creating 3-9

LK201 keyboard
 duplicate function keys C-1
 editor functions on 1-13
 TDE keys on 15-6
 technical characters on 17-8

LN03 printer
 changing fonts 12-18
 footnote fonts 18-19

LOCK 5-2

M

MAIN SCREEN B-8

Master dictionary 16-2, 16-10
 changing 16-15
 changing within a document 16-5

Minimum lines per page 18-18

Moving text 4-1

 from one document to another 4-9, 4-11, 4-14
 with CUT and PASTE 4-10
 with GOLD GET DOCMT 4-10
 with GOLD WRITE DOCMT 4-14

 including ruler settings 4-4

Scratch Pad

 to a document 4-12
 to a DECmate document 4-16
 to a VMS file 4-15
 to a Workstation document 4-16

 to the Scratch Pad 4-14

 to the UDP index 4-15

UDP

 to a document 4-13

VMS file

 to a document 4-12

 within a document 4-3

MULTI 12-20

Multicolumn documents

 creating 12-24

Multicolumn printing 12-20, 12-24

 changing fonts during 12-19

 creating multicolumn text 12-24

 separating columns 12-21

 with indenting 12-22

 with MULTI command 12-23

 with print settings 12-22

 starting 12-20

 stopping 12-21

 with change bars 5-11

Multinational characters 9-2

 compose sequences for A-1

 definition 9-1

 fallback characters 9-2

 list of A-1

 restrictions 9-1, 9-3

 separating 9-3

N

\n 12-8

New features

 since WPS-PLUS/VMS V2.1

 xvii

NEW PAGE marks 12-7

 with DECpage 14-3

NEXT SCREEN B-8

NOBREAK 12-13

Nonbreaking hyphen 7-1

Nonbreaking space 7-3

 in view mode 11-2

Numbering scheme 18-11

O

Open dictionary

 closing 16-17

- listing 16-16
- Opening
 - dictionary 16-16
- Original document
 - recovering 1-9
- Orphan control lines 14-4
- Outline style 19-7
- Overstrike mode 1-3
 - in TDE 15-12

P

- \p 12-7
- PAGE 2-3, B-8
- Page letters
 - printing in a document 12-8
- Page numbers
 - printing in a document 12-7, 12-10
 - according to NEW PAGE marks 12-8
 - resetting 12-10
- Page size
 - adjusting 14-8
- Pagination 14-1
 - adjusting page size 14-8
 - automatic 14-2
 - using GOLD NEW PAGE 14-2
 - Automatic GOLD PAGE 14-3
 - printing after 14-5
 - stopping 14-4
 - manual
 - PAGE MARKERs 14-5
 - printing after 14-7
 - removing PAGE MARKERs 14-6
 - stopping GOLD PAGE 14-6
 - with GOLD PAGE 14-5
 - NEW PAGE mark 14-2
 - with DECPAGE 14-3
 - PAGE MARKERs 14-3
 - printing page letters in a document 12-8

- printing page numbers in a document 12-7, 12-10
 - according to NEW PAGE marks 12-8
- printing section numbers in a document 12-9
- summary of pagination methods 14-7

PARA 2-3, B-8

- in the TDE 15-27

Paragraph indent 3-9

- in view mode 11-2

Paragraph numbering 19-1

- changing style settings 19-4

- examples 19-9

- indenting numbers or headings 19-4

- level numbers 19-2

- other options

- changing level style setting 19-23

- changing outline style 19-22

- resetting paragraph number 19-24

- resetting spaces to allow for paragraph number 19-25

- processing 19-11

- running 19-11

- style settings

- level style settings 19-8

- outline style 19-7

- spaces to allow for paragraph number 19-6

- starting paragraph number 19-5

- with a table of authorities 19-20

- with a table of contents 19-13

- with an index 19-17

- without a table of contents 19-11

PASTE B-8, C-2

- in text editor 4-3

- in the TDE 15-21, 15-22

- Paste area 4-3

- Pasting text 4-3
 - columns 4-5
- Personal dictionary 16-2, 16-10
 - adding to 16-8
- Prerequisites xiii
- PREV SCREEN B-8
- Print control blocks 12-15
- Print settings
 - Auto paginate 14-2, 14-7
 - changing inside document 12-15
 - Last page printed 12-12
 - Number on the first page 12-10, 12-12
 - Shadow print 5-3
 - Spaces between columns 12-22
- PRINTER FONT 12-18
- PRINTER FOOTNOTE_FONT 18-19
- PRINTER FORMAT 12-17
- PRINTER MODE 12-15
- PRINTER SELECT 12-16
- PRINTER TABLE 12-17
- Printer Table Utility
 - using in a document 12-17
- Printing
 - dictionary 16-13
 - footnotes 18-8
 - TDE diagrams 15-8
- Printing TDE diagrams 15-32

R

- Rainbow
 - highlighted text 5-13
 - wide documents 3-17
- Reading
 - dictionary 16-14
- Recovering
 - corrupt document 1-11
- Redline characteristic 5-6
- Redline enabled 5-6
- Redlining text 5-6
 - as you type 5-6
 - existing text 5-6

- removing 5-8
- Refreshing screen 1-12
- Related documents xiv
- REMOVE C-2
- Replacing text 4-4
- RESET 6-6, 12-10
- Resetting
 - page numbers 12-10
 - section numbers 12-11
- Restart number on every page 18-14
- Restoring text after deleting 1-4
- RETURN B-8
 - in Editor Math areas 13-9
 - in the TDE 15-8, 15-9
 - in view mode 11-2
 - removing from document 1-6
 - searching for 6-3
- Reversing characters 1-5
- Rewrapping text 1-5
- RIGHT ARROW 2-1, B-8
 - in a ruler 3-3
- Right margin settings 3-6
- RUB CHAR 1-4, B-8
 - in the TDE 15-15
- RUB WORD 1-4, B-8
- Rulers 3-1
 - centering point (C) 3-10, 5-4
 - changing 3-3
 - default 1-2
 - definition 3-1, 3-2
 - deleting 3-5
 - displaying 3-2
 - double spacing 3-5
 - embedding 3-3
 - footnotes 3-15
 - half-line spacing 3-5
 - headers and footers 12-6
 - hyphenation zone (H) 3-11, 7-4
 - indent settings
 - creating lists with 3-9
 - paragraph indent (P) 3-9
 - with GOLD INDENT TAB 3-9
 - word-wrap indent (W) 3-9

- line-and-a-half spacing 3-5
- margin settings
 - left margin (L,N,F,D) 3-5, 10-2
 - ragged-right margin (R) 3-6
 - right-justified margin (J) 3-6
 - right margin (R, J) 3-6
 - summary 3-11
- moving the cursor in 3-3
- no-wrap 3-15
- recalling with = 3-4
- restoring after deleting 3-5
- restrictions 3-17
- ruler settings
 - adding 3-3
 - changing 3-3
 - moving 3-4
 - removing 3-4
- sample 3-2
- single spacing 3-5
- stored 3-15
 - default ruler 3-16
 - displaying 3-16
 - embedding 3-16
- summary of ruler-setting characters 3-11
- tab settings 3-6
 - changing 3-6
 - decimal-aligned (.) 3-8
 - left-justified (T) 3-7
 - moving 3-4
 - right-justified (>) 3-8
 - types of 3-7
 - using DECpage 3-10
- TDE 15-8
- using DECpage 3-10
- wide
 - creating 3-13
 - definition 3-13
 - displaying 3-13
 - printing 3-14
 - transferring 3-17
 - with the TDE 15-31

S

- \s 12-9
- Saving edits 1-9
- Saving original document while editing 1-9
- Scratch Pad
 - copying document to 4-14
 - copying to a document 4-12
- Screen display
 - changing 3-13
- Scrolling
 - through a document 2-4
 - through an Editor Math area 13-4
- Search 6-1
 - continuing 6-8
 - for a page 6-5
 - for a ruler 3-16
 - for bolded characters 6-4
 - for bolding 6-6
 - for capitalized characters 6-4
 - for capitalizing 6-6
 - for change-barred characters 6-4
 - for change bars 6-6
 - for characters in the TDE 6-6
 - for control block 6-6
 - for double-underlined characters 6-4
 - for double underlining 6-6
 - for footnotes 6-5
 - for highlighting features 6-6
 - for redlined characters 6-4
 - for redlining 6-6
 - for TDE diagram 6-6
 - for underlined characters 6-4
 - for underlining 6-6
 - starting 6-1
 - stopping 6-8
 - the search phrase 6-2
- Search-and-delete 6-9
- Search-and-replace 6-9
- Search-and-select 6-9
- Search phrase 6-2
- SECTION 12-11

- Section numbers
 - printing in a document 12-9
 - resetting 12-11
- SEL 4-1, B-8, C-2
 - in the TDE 15-20
 - when highlighting text 5-2
- SELECT C-2
- Selected areas
 - in the TDE 15-19
- Selecting
 - dictionary 16-12
- Selecting text 4-1
 - as you type 4-1
 - existing text 4-2
- SENT 2-3, B-8
 - in the TDE 15-17
- Separating combined characters 9-3
- Separator character 18-15
- Separator length 18-16
- Separator line
 - lines following 18-16
 - lines preceding 18-15
- Separator position 18-16
- Set current text lines/page 14-8
- Set math option 13-4
- Set standard text lines/page 14-8
- Set wide screen 3-14
- Shadow printing 5-3
- Soft spacing
 - in view mode 11-2
- Spaces
 - in view mode 11-3
 - underlining 5-4
- Spaces to allow for paragraph number 19-6
- Specify abbreviation (AD) option 8-3
- Specify library (LD) option 8-5
- Spell Check 16-1, 16-2
 - Add option 16-8
 - additional dictionaries 16-2, 16-10
 - checking a selected region 16-4

- checking one word 16-4
- checking the whole document 16-2
- dictionaries 16-10
- Dictionary Maintenance menu 16-12
- Dictionary option 16-9
- Edit option 16-7
- Finish option 16-10
- Ignore option 16-8
- international dictionary 16-2, 16-10
 - adding to 16-8
- master dictionary 16-2, 16-10
- Pass option 16-9
- personal dictionary 16-2, 16-10
 - adding to 16-8
- Replace option 16-6
- Spelling menu options 16-6
- Spelling menu
 - Add option 16-8
 - Dictionary option 16-9
 - Edit option 16-7
 - Finish option 16-10
 - Ignore option 16-8
 - Pass option 16-9
 - Replace option 16-6
- Standard text size setting 14-8
- Start External Application B-10
- Starting paragraph number 19-5
- Status line 1-7
- Status line enabled 1-7
- Stored rulers 3-15
 - default ruler 3-16
 - displaying 3-16
 - embedding 3-16
- Stored text 8-1
- Subscript 10-1
 - in view mode 11-2
- Summary of editor functions B-1
- Superscript 10-1
 - in view mode 11-2

T

TAB B-8

compared with TAB POS 3-7
in the TDE 15-8, 15-9

Tab mark 3-6

in view mode 11-2
searching for 6-3

TAB POS 2-3, B-9

compared with TAB 3-7

Table of authorities 19-1, 19-17

multiple 19-5
number assigned to 19-5
paginating a document 19-19
producing 19-20

Table of contents 19-1, 19-11

multiple 19-5
number assigned to 19-5
paginating a document 19-13
producing 19-13

Tabs

changing tab settings 3-6
decimal-aligned 3-8
left-justified 3-7
removing from document 1-6
right-justified 3-8
tab settings in rulers 3-7

TCS 17-1

characters on LK201 keyboard 17-8
description 17-7
hardware requirements 17-1
library 17-2
lock 17-2
table of TCS characters 17-9
using 17-2
using the technical character library 17-4

TDE 15-1

abbreviation documents with 8-6
areas
as working regions 15-17
as wrapping regions 15-18
copying 15-22
copying into the text editor 15-23

deleting 15-16

filling in 15-24

joining lines in 15-26

moving 15-20, 15-22

multiple copies of 15-22

selecting 15-19

shading 15-24

using 15-19

autodirection 15-12

bolding 15-19

copying a diagram into the text editor 15-23

correcting errors 15-15

creating a second diagram 15-31

creating a simple diagram 15-3

deleting columns and lines 15-16

diagrams

additional 15-31

diagrams as stored text 8-6

drawing boxes 15-17

editing a diagram 15-2

entering 15-2

entering text 15-12

exiting 15-2

getting help 15-2

insert mode 15-12

inserting columns and rows 15-14

key locations

on LK201 keyboard 15-6

on VT100 keyboard 15-6

landscape format 15-32

library documents with 8-6

loading the pen 15-10

moving the cursor 15-7

overstrike mode 15-12

paragraph numbering commands in 19-4

pen 15-9

printing diagrams 15-8, 15-32
in landscape format 15-32

repeating functions 15-27

restrictions 15-33

- reverse video 15-19
- rulers 15-8
- saving edits 15-33
- searching for characters in 6-6
- searching for diagram 6-6
- second diagram 15-31
- select mark 15-17
- selected areas 15-19
 - copying 15-22
 - copying into the text editor 15-23
 - filling in 15-24
 - moving 15-20
 - multiple copies of 15-22
 - selecting 15-19
 - shading 15-24, 15-26
- shading 15-18
- special characters 15-27
 - loading in the pen 15-27
- starting a diagram 15-4
- text direction 15-12
- underlining 15-19
- undo command 15-16
- wide diagrams 15-31
- wide rulers with 15-31
- working region 15-17
- wrapping region 15-18
- TDE diagrams
 - transferring to DECmate 15-33
- TDE function keys 15-5
 - ADVANCE 15-7
 - arrow keys 15-7, 15-9
 - BACK UP 15-7
 - BOLD 15-19
 - CTRL/U 15-7, 15-15
 - CTRL/W 15-7
 - CUT 15-20
 - DEL CHAR 15-15, 15-21
 - DEL WORD 15-9, 15-16
 - DOWN arrow 15-9
 - ENTER 15-21
 - GOLD ABBRV 15-29
 - GOLD arrow keys 15-7
 - GOLD BOLD 15-25
 - GOLD BOT DOCMT 15-7, 15-8
 - GOLD CUT 15-22
 - GOLD DEL CHAR 15-16
 - GOLD DEL WORD 15-14
 - GOLD E 15-6
 - GOLD HYPH PULL 15-7, 15-8
 - GOLD LIBRY 15-29
 - GOLD numeral 15-6
 - GOLD PARA 15-24
 - GOLD RULER 15-6, 15-8
 - GOLD SEL 15-9, 15-20
 - GOLD SENT 15-17
 - GOLD TAB 15-7, 15-8
 - GOLD TAB POS 15-26
 - GOLD TOP DOCMT 15-7, 15-8
 - GOLD UNDER LINE 15-25
 - GOLD UPPER CASE 15-25
 - GOLD W 15-18
 - PARA 15-27
 - PASTE 15-21, 15-22
 - RETURN 15-8, 15-9
 - RUB CHAR 15-15
 - SEL 15-17, 15-20
 - SENT 15-17
 - TAB 15-8, 15-9
 - TAB POS 15-17
 - UNDER LINE 15-19
 - UP ARROW 15-9
 - UPPER CASE 15-19
 - WORD 15-12
- Technical Character Set Library 17-2
- Text blocks
 - unbroken 12-13
- Text size
 - adjusting 14-8
- Thesaurus 16-1, 16-18
- Time
 - including in a document 1-7
- TOP 12-6
- Total lines per page 18-18

Transferring footnotes
to another WPS-PLUS version
18-20
Transferring text between
documents 4-9
Transposing characters 1-5

U

UDP
copying to a document 4-13
creating in the editor 4-15
UNDER LINE 5-3, 8-9
in the TDE 15-19
Underlining text 5-3
alternative methods 5-5
as you type 5-3, 5-7
existing text 5-3
removing underlining 5-4
spaces 5-4
UP ARROW 2-2, 8-9
in the TDE 15-9
Updating
language 16-17
UPPER CASE 5-2, 8-9
in the TDE 15-19
Usage Alert 16-1, 16-19

V

View mode
entering 11-1
exiting 11-1
hyphens in 11-3
spacing in 11-3
symbols
summary of 11-2
VMS file
copying to a document 4-12
creating in the editor 4-15
VT100 keyboard
editor functions on 1-15
TDE keys on 15-6

W

Wide documents
definition 3-13
displaying 3-13
printing 3-14
transferring to DECmate 3-17
transferring to Rainbow 3-17
Wide rulers 3-13
with the TDE 15-31
Wide screen display 3-13
Widow control lines 14-4
WORD 2-3, 8-9
in a ruler 3-3
in the TDE 15-12
when underlining text 5-4
Word and Document Processing
menu
Dictionaries (DIC) option
16-10
Paragraph numbering (PN)
option 19-11
Spell check (SC) option 16-2
Word choice – with trailing
symbols 1-5
Word wrap
in view mode 11-2
Word-wrap indent 3-9
Working region
in the TDE 15-17
Workstation
copying document to 4-16
copying document to
WPS-PLUS 4-13
wide documents
restrictions 3-17
WPS-PLUS Footnote Settings form
Blank lines between footnotes
18-17
Blank lines between last text
line and separator line
18-15
Blank lines between separator
line and first footnote 18-16
Continuation messages 18-17
Extra character in footnote
18-13

Extra character in text 18-13
 footnote number in footnote
 extra character with 18-12
 highlighting of 18-12
 highlighting of extra
 character 18-12
 footnote number in text
 extra character with 18-12
 highlighting of 18-12
 highlighting of extra
 character 18-12
 Footnotes or endnotes 18-9
 Highlighting of extra character
 in footnote 18-14
 Highlighting of extra character
 in text 18-14
 Highlighting of number in
 footnote 18-12
 Highlighting of number in text
 18-12

Initial footnote number 18-10
 Lines in the bottom margin
 18-18
 Lines in the top margin 18-18
 Minimum lines per page 18-18
 Numbering scheme 18-11
 Restart number on every page
 18-14
 Separator character 18-15
 Separator length 18-16
 Separator position 18-16
 Total lines per page 18-18
 WPS-PLUS keys 1-12
 WPS-PLUS/VMS V2.1
 features added to xvii
 WPSMATH 13-2
 Wrapping region
 in the TDE 15-18
 Wrapping text 1-5, 3-17

Reader's Comments

WPS-Plus/VMS
Editor Functions
AA-W855D-TE
Including AD-W855D-T1

Please use this postage-paid form to comment on this manual. If you require a written reply to a software problem and are eligible to receive one under Software Performance Report (SPR) service, submit your comments on an SPR form.

Thank you for your assistance.

I rate this manual's:	Excellent	Good	Fair	Poor
Accuracy (software works as manual says)	☐	☐	☐	☐
Completeness (enough information)	☐	☐	☐	☐
Clarity (easy to understand)	☐	☐	☐	☐
Organization (structure of subject matter)	☐	☐	☐	☐
Figures (useful)	☐	☐	☐	☐
Examples (useful)	☐	☐	☐	☐
Index (ability to find topic)	☐	☐	☐	☐
Page layout (easy to find information)	☐	☐	☐	☐

I would like to see more/less _____

What I like best about this manual is _____

What I like least about this manual is _____

I found the following errors in this manual:

Page	Description
_____	_____
_____	_____
_____	_____

Additional comments or suggestions to improve this manual:

I am using Version _____ of the software this manual describes.

Name/Title _____ Dept. _____

Company _____ Date _____

Mailing Address _____

_____ Phone _____

Do Not Tear - Fold Here and Tape

digital™




No Postage
Necessary
if Mailed
in the
United States

BUSINESS REPLY MAIL

FIRST CLASS PERMIT NO. 33 MAYNARD MASS.

POSTAGE WILL BE PAID BY ADDRESSEE

DIGITAL EQUIPMENT CORPORATION
Corporate User Publications—Spit Brook
ZK01-3/J35
110 SPIT BROOK ROAD
NASHUA, NH 03062-9987



Do Not Tear - Fold Here

Cut Along Dotted Line